

PEAK Measuring Microscope 2034 Series



- → Portable Wide Stand Microscope
- → 40x, 60x, 100x, 150x, 200x, 300x magnification
- \rightarrow 0.05 0.001 mm measuring scale
- → Interchangeable lenses
- → Smooth coaxial focusing

One of the primary advantages of the Peak 2034 series stand measuring microscope is its easy handling. Simply set the microscope on the field to be measured and focus – that's all. Thanks to the clear acrylic base the surface to be inspected can be viewed from all sides, making it easy to find the point to be measured. Focusing is accomplished by coaxial rotation of the tube. The short light path through the microscope makes the object appear reversed.

The optical system consists of a lens and an eye cup. All lenses are coated for sharp, high contrast images. Seven types of lenses are available: 2x, 4x, 6x, 10x, 15x, 20x and 30x. The eyepiece has a magnification factor of 10x and the focal plane is equipped with a scale. Contamination of the scale with dust is not possible thanks to the Huygens design with focal plane in the lens system. The lens closest to the eye in the ocular can be moved by turning the adjustment ring, so that the scale can be adjusted to match the eye correction of the observer. The eyepiece associated with each magnification factor (object lens) can be replaced by simply pulling out. If additional lenses are to be used for visually checking purposes only, additional oculars are not required.



Depth measurements to an accuracy of 0.1mm are obtained by using the scale engraved on the focusing ring together with the needle on the coaxial tube. Simply focus on different levels of an object and read the difference off this scale.

The LED pen light provides side illumination for measurements on dark surfaces or in darkened rooms. Two 1.5 Volt AA batteries are required for operation. The microscope is supplied in a padded transport box offering secure transport and space for four additional lenses which are available as accessories.

Optional use of the MKH stand gives the 2034 series microscopes greater stability and is an essential accessory for reliably checking rollers and other cylindrical objects. For further accessories see following pages. You can also convert a Peak microscope into a digital microscope with addition of a USB camera or iZoom adapter for using your iPhone. The ocular (eyepiece) is easily replaced with an eyepiece camera and connected via USB to your computer. With the included software you have a professional environment for calibrated measurements, image capture or video processing





Specification

	2034-20	2034-40	2034-60	2034-100	2034-150	2034-200	2034-300
Magnification	20 x	40x	60x	100x	150x	200x	300x
factor							
Focusable	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Scale focusable	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Field of view	7.2 mm	3.6 mm	2.4 mm	1.45 mm	0.96 mm	0.72 mm	0.48 mm
Measuring length	6.0 mm	3.0 mm	2.0 mm	1.2 mm	0.9 mm	0.6 mm	0.4 mm
Scale	0.1 mm	0.05 mm	0.02 mm	0.01 mm	0.005 mm	0.002 mm	0.001 mm
Working distance	36.0 mm	18.7 mm	10.8 mm	5.7 mm	9.2 mm	6.7 mm	4 mm
Numerical	0.06	0.12	0.15 mm	0.19 mm	0.24 mm	0.35 mm	0.4 mm
aperture							
Focal length	35.0 mm	22.0 mm	16.5 mm	10.7 mm	7.3 mm	5.7 mm	3.9 mm
Dimensions	63 x 172 mm	63 x 172					
		mm	mm	mm	mm	mm	mm
Weight	241 grams	241 grams	241 grams	241 grams	241 grams	241 grams	241 grams
Case	Included						
Standard scale	Included as standard feature						
Eyepiece	10 x	10 x	10 x	10 x	10 x	10 x	10 x
Lens	2 x	4x	6x	10x	15x	20x	30x
Display	Mirror image						

Prices

Order no.	Description	Price excl. VAT.
2034-20	2034-20 Measuring microscope with scale 0,1 mm, 20x	£260.00
2034-40	2034-40 Measuring microscope with scale 0,05 mm, 40x	£260.00
2034-60	2034-60 Measuring microscope with scale 0,02 mm, 60x	£280.00
2034-100	2034-100 Measuring microscope with scale 0,01 mm, 100x	£280.00
2034-150	2034-150 Measuring microscope with scale 0,005 mm, 150x	£340.00
2034-200	2034-200 Measuring microscope with scale 0,002 mm, 200x	£400.00
2034-300	2034-300 Measuring microscope with scale 0,001 mm, 300x	£510.00

Box contains: Microscope, pen light, batteries, instructions



Accessories for PEAK measuring microscope 2034



Interchangeable Lenses

2034, 2054 and 2054-EIM series microscopes offer the possibility of changing the magnification factor by changing lenses. Four additional depressions are already present in the standard transport boxes for secure transportation of interchangeable lenses. The lenses have a screw thread for extremely simple changing. However, the measuring scales require particular attention. If, for example, a microscope with a magnification factor of 100x is used with a 0.01 mm scale, the reading is incorrect when

the lens is changed. For this reason, always order the additional lens you intend to use for measurement together with the associated eyepiece. It is not necessary to change the ocular for simple visual checking.

Ordorno	Description	Dries avel VAT
Order no.	Description	Price excl. VAT.
OJ-020	2x objective for magnification 20x	£82.00
OJ-040	4X objective for magnification 40x	£82.00
OJ-060	6x objective for magnification 60x	£100.00
OJ-100	10-x objective for magnification 100x	£100.00
OJ-150	15x objective for magnification 150x	£145.00
OJ-200	20x objective for magnification 200x	£227.00
OJ-300	30x objective for magnification 300x	£318.00



Interchangeable Eyepiece with millimetric graduation

All eyepiece have a magnification factor of 10x. The built-in scale is calculated to match the lens. The scale can be focused separately in the eyepiece. The eye cup is already included with the stand microscope ordered.



Order no.	Description	Price excl. VAT.
OKU-020	Eyepiece with scale 0,1 mm, for magnification 20x	£100.00
OKU-040	Eyepiece with scale 0,05 mm, for magnification 40x	£100.00
OKU-060	Eyepiece with scale 0,02 mm, for magnification 60x	£100.00
OKU-100	Eyepiece with scale 0,01 mm, for magnification 100x	£100.00
OKU-150	Eyepiece with scale 0,005 mm, for magnification 150x	£100.00
OKU-200	Eyepiece with scale 0,002 mm, for magnification 200x	£100.00
OKU-300	Eyepiece with scale 0,001 mm, for magnification 300x	£100.00





Interchangeable Eyepiece with inch graduation

All eyepiece have a magnification factor of 10x. The inch graduation eyepiece are available for microscopes with magnification factors between 20x to 200x. The built in scale is calculated to match the lens. The scale can be focused separately in the eyepiece. The eye cup is already included with the stand microscope ordered.



Order no.	Description	Price excl. VAT.
OKU-020	Eyepiece with scale 0.005", for magnification 20x	£100.00
OKU-040	Eyepiece with scale 0.002", for magnification 40x	£100.00
OKU-060	Eyepiece with scale 0.001", for magnification 60x	£100.00
OKU-100	Eyepiece with scale 0.0005", for magnification 100x	£100.00
OKU-150	Eyepiece with scale 0.0002", for magnification 150x	£100.00
OKU-200	Eyepiece with scale 0.0001", for magnification 200x	£100.00



Interchangeable Eyepiece with Special Metric graduation

Special Eyepiece containing both metric scale and angles for use with either 20x or 40x magnification. All eyepiece have a magnification factor of 10x. The built-in scale is calculated to match the lense magnification and can be focused separately in the eyepiece. The eye cup is already included with the stand microscope ordered. Select the magnification to order the correct eyepiece.

Order no.	Description	Price excl. VAT.
OKU-PS-55	Eyepiece with scale 0.1mm and angles for magnification 20x	£100.00
OKU-PS-65	Eyepiece with scale 0.05mm and angles, for magnification 40x	£100.00







Interchangeable Eyepiece with Special Inch graduation

Special Eyepiece containing both inch scale and angles for use with either 20x or 40x magnification. All eyepiece have a magnification factor of 10x. The built-in scale is calculated to match the lense magnification and can be focused separately in the eyepiece. The eye cup is already included with the stand microscope ordered. Select the magnification to order the correct eyepiece.

Order no.	Description	Price excl. VAT.
OKU-PS-56	Eyepiece with scale 0.005" and angles for magnification 20x	£100.00
OKU-PS-66	Eyepiece with scale 0.002" and angles, for magnification 40x	£100.00



Tripod MKH


Special MKH tripod for 2034, 2054 and 2054-EIM series microscopes. Provides stability on rollers, curved surfaces or in combination with the iZoom. Support rollers coated with silicone-free material. The microscopes are screwed to the tripod with a union nut.

Order no. Description Price excl. VAT.

MKH Tripod for microscopes £140.00







Tripod ST-CIL

Precision tripod with segment columns, which can be installed to obtain the required distance. An X-Y table with two 25 mm measuring spindles with graduations of .01 mm is mounted in the tripod. The ST-CIL tripod can be used for combining microscopes 2034 or 2054 with the MST tripod. The MST tripod is also available with an additional

Order no. Price excl. VAT. Description ST-CIL Tripod with X-Y Table £750.00 ST-CIL-RT-85 £1,100.00 Tripod with X-Y and rotating table



Tripod CV-Mini-2034

The CV-Mini 2034 tripod was designed to allow inspection and measurements without contact. The aluminium extension arm can be rotated 360° on the VA shaft. An additional micro-adjustment is integrated into the extension arm. The 20 mm aluminium bottom plates is anodised and has dimensions of 230 x 150 mm. Larger support plates can be produced as special products. The microscope with tripod is supplied together with an elegant synthetic transport case (only when ordered as set)..

Order no. Price excl. VAT. Description CV-Mini-2034 £350.00 Tripod for microscopes





USB Camera

Turn your Peak microscope into a digital microscope with a USB camera from Dino-Lite. You can easily replace the ocular (eyepiece) of Peak microscopes with the DinoEye eyepiece camera and connect it via USB to your computer. With the included DinoCapture software you have a professional software environment for image or video processing, including calibrated measurement features.

The DinoEye Camera fits directly into 23mm oculars. Two models are available with either 1.3 or 5.0 megapixel. **Note:** the field of view using either camera is less than using the eyepiece due to the size of the sensor inside the camera, so it maybe necessary to change the objective lens for a lower magnification when using the camera. The AM7025X offers a wider field of view than the AM4023.

Order no.	Description	Price excl. VAT.
AM4023	DinoEye AM4023 Eyepiece USB Microscope Camera, 1.3MP, 23mm ocular	£167.50
AM7025X	DinoEye AM7025X Eyepiece USB Microscope Camera, 5.0MP, 23mm ocular	£465.00



iZoom Microscope Adapter for iPhone

Capture microscopic images using your iPhone and the Peak microscope. The iZoom adapter couples an iPhone to Peak microscopes enabling the high-resolution iPhone camera to be used to capture the entire field of view. Use all the standard functions of the iPhone to easily capture, edit and send microscopic images with significantly higher image quality than possible with many microscope cameras.

The iZoom adapter has been designed by optical professionals for no shadowing and is precision made from aluminium to ensure a perfect fit to both iPhone and

microscope. Made in Germany. Quick & simple connection - just insert the iPhone and connect the adapter to the microscope - ready in seconds. The iZoom adapter is available for the iPhone : 4/4S, 5/5S, 6/6S, 7/7S

Order no.	Description	Price excl. VAT.
iZoom-4-4S	iZoom Adapter for using iPhone 4-4S with Peak 2034 Microscope	£200.00
iZoom-5-5S	iZoom Adapter for using iPhone 5-5S with Peak 2034 Microscope	£200.00
iZoom-6-6S	iZoom Adapter for using iPhone 6-6S with Peak 2034 Microscope	£220.00
iZoom-7-7S	iZoom Adapter for using iPhone 7-7S with Peak 2034 Microscope	£250.00





Aluminium Light Holder & Maglite Torch

This precision produced light holder is designed for applications which are not suited to the original plastic light holders and pen light supplied by Peak. Microscopes are occasionally dropped in industrial use and on the shop floor. In such cases this robust metal light holder is not damaged. The holder is designed to suit a Mini-Maglite pen torch.

Two O-rings on the inside ensure wear-free, fine positioning of the Maglite. The angle of the Maglite can be adjusted precisely with the two knurled VA screws.



Order no.	Description	Price excl. VAT.
LMH-A	Aluminium light holder only	£115.00
LMH-A-MAG	Aluminium light holder & Maglite bundle	£130.00

Replacement Parts

Original Plastic Light Holder



This is the original pen light holder supplied by Peak.

Order no.	Description	Price excl. VAT.
LHM	Plastic light holder only	£18.00


Eye Cup for Peak Microscope



Order no.	Description	Price excl. VAT.
GR-2034	Eye Cup	£9.00









This is the original pen light holder supplied by Peak.

Order no.	Description	Price excl. VAT.
Box-2034	Transport Box	£20.00

Aluminium Transport Case



This aluminium transport case is designed to hold the Peak microscope and MST or MKH stand.

Order no.	Description	Price excl. VAT.
Box-2034	Aluminium Transport Box	£260.00